



Bezeichnung	Artikelnummer	Abmessungen	Lichtfarbe	Optik	Systemleistung	Lichtstrom System
ChangeLED 3R 29-1721	99294011000	1721x70x35 mm	4000 K	110°	29,3 W	4874 lm
ChangeLED 3R 29-1721	99295000100	1721x70x35 mm	5000 K	symmetrisch	29,3 W	4959 lm
ChangeLED 3R 29-1721	99295003000	1721x70x35 mm	5000 K	30°	29,3 W	4959 lm
ChangeLED 3R 29-1721	99295006000	1721x70x35 mm	5000 K	60°	29,3 W	4959 lm
ChangeLED 3R 29-1721	99295009000	1721x70x35 mm	5000 K	90°	29,3 W	4959 lm
ChangeLED 3R 29-1721	99295011000	1721x70x35 mm	5000 K	110°	29,3 W	4959 lm
ChangeLED 3R 38-1721	99384000100	1721x70x35 mm	4000 K	symmetrisch	38,6 W	6413 lm
ChangeLED 3R 38-1721	99384003000	1721x70x35 mm	4000 K	30°	38,6 W	6413 lm
ChangeLED 3R 38-1721	99384006000	1721x70x35 mm	4000 K	60°	38,6 W	6413 lm
ChangeLED 3R 38-1721	99384009000	1721x70x35 mm	4000 K	90°	38,6 W	6413 lm
ChangeLED 3R 38-1721	99384011000	1721x70x35 mm	4000 K	110°	38,6 W	6413 lm
ChangeLED 3R 38-1721	99385000100	1721x70x35 mm	5000 K	symmetrisch	38,6 W	6498 lm
ChangeLED 3R 38-1721	99385003000	1721x70x35 mm	5000 K	30°	38,6 W	6498 lm
ChangeLED 3R 38-1721	99385006000	1721x70x35 mm	5000 K	60°	38,6 W	6498 lm
ChangeLED 3R 38-1721	99385009000	1721x70x35 mm	5000 K	90°	38,6 W	6498 lm
ChangeLED 3R 38-1721	99385011000	1721x70x35 mm	5000 K	110°	38,6 W	6498 lm
ChangeLED 3R 39-1721	99394000100	1721x70x35 mm	4000 K	symmetrisch	39,6 W	6413 lm
ChangeLED 3R 47-1721	99474000100	1721x70x35 mm	4000 K	symmetrisch	48,5 W	7895 lm
ChangeLED 3R 47-1721	99474003000	1721x70x35 mm	4000 K	30°	48,5 W	7895 lm
ChangeLED 3R 47-1721	99474006000	1721x70x35 mm	4000 K	60°	48,5 W	7895 lm
ChangeLED 3R 47-1721	99474009000	1721x70x35 mm	4000 K	90°	48,5 W	7895 lm
ChangeLED 3R 47-1721	99474011000	1721x70x35 mm	4000 K	110°	48,5 W	7895 lm
ChangeLED 3R 47-1721	99475000100	1721x70x35 mm	5000 K	symmetrisch	48,5 W	8009 lm
ChangeLED 3R 47-1721	99475003000	1721x70x35 mm	5000 K	30°	48,5 W	8009 lm
ChangeLED 3R 47-1721	99475006000	1721x70x35 mm	5000 K	60°	48,5 W	8009 lm
ChangeLED 3R 47-1721	99475009000	1721x70x35 mm	5000 K	90°	48,5 W	8009 lm
ChangeLED 3R 47-1721	99475011000	1721x70x35 mm	5000 K	110°	48,5 W	8009 lm
ChangeLED 3R 60-1721	99604000100	1721x70x35 mm	4000 K	symmetrisch	58,9 W	9348 lm
ChangeLED 3R 60-1721	99604003000	1721x70x35 mm	4000 K	30°	58,9 W	9348 lm
ChangeLED 3R 60-1721	99604006000	1721x70x35 mm	4000 K	60°	58,9 W	9348 lm
ChangeLED 3R 60-1721	99604009000	1721x70x35 mm	4000 K	90°	58,9 W	9348 lm
ChangeLED 3R 60-1721	99604011000	1721x70x35 mm	4000 K	110°	58,9 W	9348 lm
ChangeLED 3R 60-1721	99605000100	1721x70x35 mm	5000 K	symmetrisch	58,9 W	9491 lm
ChangeLED 3R 60-1721	99605003000	1721x70x35 mm	5000 K	30°	58,9 W	9491 lm
ChangeLED 3R 60-1721	99605006000	1721x70x35 mm	5000 K	60°	58,9 W	9491 lm
ChangeLED 3R 60-1721	99605009000	1721x70x35 mm	5000 K	90°	58,9 W	9491 lm
ChangeLED 3R 60-1721	99605011000	1721x70x35 mm	5000 K	110°	58,9 W	9491 lm
ChangeLED 3R 69-1721	99694000100	1721x70x35 mm	4000 K	symmetrisch	69,2 W	10773 lm
ChangeLED 3R 69-1721	99694003000	1721x70x35 mm	4000 K	30°	69,2 W	10773 lm
ChangeLED 3R 69-1721	99694006000	1721x70x35 mm	4000 K	60°	69,2 W	10773 lm
ChangeLED 3R 69-1721	99694009000	1721x70x35 mm	4000 K	90°	69,2 W	10773 lm
ChangeLED 3R 69-1721	99694011000	1721x70x35 mm	4000 K	110°	69,2 W	10773 lm
ChangeLED 3R 69-1721	99695000100	1721x70x35 mm	5000 K	symmetrisch	69,2 W	10944 lm
ChangeLED 3R 69-1721	99695003000	1721x70x35 mm	5000 K	30°	69,2 W	10944 lm
ChangeLED 3R 69-1721	99695006000	1721x70x35 mm	5000 K	60°	69,2 W	10944 lm
ChangeLED 3R 69-1721	99695009000	1721x70x35 mm	5000 K	90°	69,2 W	10944 lm
ChangeLED 3R 69-1721	99695011000	1721x70x35 mm	5000 K	110°	69,2 W	10944 lm
ChangeLED 3R 79-1721	99794000100	1721x70x35 mm	4000 K	symmetrisch	79,8 W	12198 lm
ChangeLED 3R 79-1721	99794003000	1721x70x35 mm	4000 K	30°	79,8 W	12198 lm
ChangeLED 3R 79-1721	99794006000	1721x70x35 mm	4000 K	60°	79,8 W	12198 lm
ChangeLED 3R 79-1721	99794009000	1721x70x35 mm	4000 K	90°	79,8 W	12198 lm
ChangeLED 3R 79-1721	99794011000	1721x70x35 mm	4000 K	110°	79,8 W	12198 lm
ChangeLED 3R 79-1721	99795000100	1721x70x35 mm	5000 K	symmetrisch	79,8 W	12369 lm
ChangeLED 3R 79-1721	99795003000	1721x70x35 mm	5000 K	30°	79,8 W	12369 lm
ChangeLED 3R 79-1721	99795006000	1721x70x35 mm	5000 K	60°	79,8 W	12369 lm
ChangeLED 3R 79-1721	99795009000	1721x70x35 mm	5000 K	90°	79,8 W	12369 lm
ChangeLED 3R 79-1721	99795011000	1721x70x35 mm	5000 K	110°	79,8 W	12369 lm
ChangeLED 3R 20-1525	99204000150	1525x70x35 mm	4000 K	symmetrisch	20,9 W	3420 lm
ChangeLED 3R 20-1525	99204003050	1525x70x35 mm	4000 K	30°	20,9 W	3420 lm
ChangeLED 3R 20-1525	99204006050	1525x70x35 mm	4000 K	60°	20,9 W	3420 lm
ChangeLED 3R 20-1525	99204009050	1525x70x35 mm	4000 K	90°	20,9 W	3420 lm
ChangeLED 3R 20-1525	99204011050	1525x70x35 mm	4000 K	110°	20,9 W	3420 lm
ChangeLED 3R 20-1525	99205000150	1525x70x35 mm	5000 K	symmetrisch	20,9 W	3468 lm
ChangeLED 3R 20-1525	99205003050	1525x70x35 mm	5000 K	30°	20,9 W	3468 lm

Bezeichnung	Artikelnummer	Abmessungen	Lichtfarbe	Optik	Systemleistung	Lichtstrom System
ChangeLED 3R 20-1525	99205006050	1525x70x35 mm	5000 K	60°	20,9 W	3468 lm
ChangeLED 3R 20-1525	99205009050	1525x70x35 mm	5000 K	90°	20,9 W	3468 lm
ChangeLED 3R 20-1525	99205011050	1525x70x35 mm	5000 K	110°	20,9 W	3468 lm
ChangeLED 3R 24-1525	99254000150	1525x70x35 mm	4000 K	symmetrisch	24,9 W	4061 lm
ChangeLED 3R 24-1525	99254003050	1525x70x35 mm	4000 K	30°	24,9 W	4061 lm
ChangeLED 3R 24-1525	99254006050	1525x70x35 mm	4000 K	60°	24,9 W	4061 lm
ChangeLED 3R 24-1525	99254009050	1525x70x35 mm	4000 K	90°	24,9 W	4061 lm
ChangeLED 3R 24-1525	99254011050	1525x70x35 mm	4000 K	110°	24,9 W	4061 lm
ChangeLED 3R 24-1525	99255000150	1525x70x35 mm	5000 K	symmetrisch	24,9 W	4133 lm
ChangeLED 3R 24-1525	99255003050	1525x70x35 mm	5000 K	30°	24,9 W	4133 lm
ChangeLED 3R 24-1525	99255006050	1525x70x35 mm	5000 K	60°	24,9 W	4133 lm
ChangeLED 3R 24-1525	99255009050	1525x70x35 mm	5000 K	90°	24,9 W	4133 lm
ChangeLED 3R 24-1525	99255011050	1525x70x35 mm	5000 K	110°	24,9 W	4133 lm
ChangeLED 3R 32-1525	99324000150	1525x70x35 mm	4000 K	symmetrisch	32,6 W	5344 lm
ChangeLED 3R 32-1525	99324003050	1525x70x35 mm	4000 K	30°	32,6 W	5344 lm
ChangeLED 3R 32-1525	99324006050	1525x70x35 mm	4000 K	60°	32,6 W	5344 lm
ChangeLED 3R 32-1525	99324009050	1525x70x35 mm	4000 K	90°	32,6 W	5344 lm
ChangeLED 3R 32-1525	99324011050	1525x70x35 mm	4000 K	110°	32,6 W	5344 lm
ChangeLED 3R 32-1525	99325000150	1525x70x35 mm	5000 K	symmetrisch	32,6 W	5415 lm
ChangeLED 3R 32-1525	99325003050	1525x70x35 mm	5000 K	30°	32,6 W	5415 lm
ChangeLED 3R 32-1525	99325006050	1525x70x35 mm	5000 K	60°	32,6 W	5415 lm
ChangeLED 3R 32-1525	99325009050	1525x70x35 mm	5000 K	90°	32,6 W	5415 lm
ChangeLED 3R 32-1525	99325011050	1525x70x35 mm	5000 K	110°	32,6 W	5415 lm
ChangeLED 3R 49-1525	99494000150	1525x70x35 mm	4000 K	symmetrisch	49,5 W	7790 lm
ChangeLED 3R 49-1525	99494003050	1525x70x35 mm	4000 K	30°	49,5 W	7790 lm
ChangeLED 3R 49-1525	99494006050	1525x70x35 mm	4000 K	60°	49,5 W	7790 lm
ChangeLED 3R 49-1525	99494009050	1525x70x35 mm	4000 K	90°	49,5 W	7790 lm
ChangeLED 3R 49-1525	99494011050	1525x70x35 mm	4000 K	110°	49,5 W	7790 lm
ChangeLED 3R 49-1525	99495000150	1525x70x35 mm	5000 K	symmetrisch	49,5 W	7909 lm
ChangeLED 3R 49-1525	99495003050	1525x70x35 mm	5000 K	30°	49,5 W	7909 lm
ChangeLED 3R 49-1525	99495006050	1525x70x35 mm	5000 K	60°	49,5 W	7909 lm
ChangeLED 3R 49-1525	99495009050	1525x70x35 mm	5000 K	90°	49,5 W	7909 lm
ChangeLED 3R 49-1525	99495011050	1525x70x35 mm	5000 K	110°	49,5 W	7909 lm
ChangeLED 3R 58-1525	99584000150	1525x70x35 mm	4000 K	symmetrisch	58,0 W	8978 lm
ChangeLED 3R 58-1525	99584003050	1525x70x35 mm	4000 K	30°	58,0 W	8978 lm
ChangeLED 3R 58-1525	99584006050	1525x70x35 mm	4000 K	60°	58,0 W	8978 lm
ChangeLED 3R 58-1525	99584009050	1525x70x35 mm	4000 K	90°	58,0 W	8978 lm
ChangeLED 3R 58-1525	99584011050	1525x70x35 mm	4000 K	110°	58,0 W	8978 lm
ChangeLED 3R 58-1525	99585000150	1525x70x35 mm	5000 K	symmetrisch	58,0 W	9120 lm
ChangeLED 3R 58-1525	99585003050	1525x70x35 mm	5000 K	30°	58,0 W	9120 lm
ChangeLED 3R 58-1525	99585006050	1525x70x35 mm	5000 K	60°	58,0 W	9120 lm
ChangeLED 3R 58-1525	99585009050	1525x70x35 mm	5000 K	90°	58,0 W	9120 lm
ChangeLED 3R 58-1525	99585011050	1525x70x35 mm	5000 K	110°	58,0 W	9120 lm